

Initiation and Engagement of Alcohol and Drug Treatment (IET)

The National Benchmark to measure the Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET) is as follows:


The percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:

- ✓ **Initiation of AOD Treatment.** The percentage of members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth or medication treatment **within 14 days of the diagnosis.**
- ✓ **Engagement of AOD Treatment.** The percentage of members who initiated treatment and who had two or more additional AOD services or medication treatment **within 34 days of the initiation visit.**



“In 2020, it was estimated that 41.1 million people aged 12 or older needed substance abuse treatment. However, just 6.5% (2.6 million) received substance abuse treatment.”¹

¹<https://www.samhsa.gov/data/sites/default/files/reports/rpt35325/NSDUHFFRPDFWHTMLFiles2020/2020NSDUHFFR1PDFW102121.pdf>



(continued)

‘Ohana Health Plan is proud to serve Medicaid members in the state of Hawai‘i. The information presented here is also representative of our affiliated and newly refreshed Wellcare brand of Medicare Advantage products serving members across the country. If you have any questions, please contact Provider Relations.





How can you help?

- Ensure that you have completed the appropriate assessments and diagnosis indicating AOD treatment is needed.
- Educate member on the importance of treatment and follow-up appointments within **14 days of diagnosis and two more appointments within 34 days**.
- Include member in all aftercare planning regarding scheduling follow up appointments and connecting them with community supports.
- Assist the member in addressing any barriers to attending follow-up appointments.
- Submit proper billing codes, refer to the codes listed below.



For additional questions or inquiries, please contact your Wellcare Provider Relations Rep.



Appropriate Coding for IET measure is as follows:

ICD-10-Dx: Use the appropriate code family: F

CPT Codes: 98960-98962, 99078, 99201-99205, 99211-99215, 99217-99220, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99408, 99409, 99411, 99412, 99510

Telephone Visits: 98966-98968, 99441-99443

Online Assessment: 98969, 99444

Telehealth POS: 02

AOD Medication Treatment: H0020, H0033, J0570-J0575, J2315, S0109, Q9991, Q9992

HCPCS: G0155, G0176, G0177, G0396, G0397, G0409-G0411, G0443, G0463, H0001, H0002, H0004, H0005, H0007, H0015, H0016, H0022, H0031, H0034-H0037, H0039, H0040, H0047, H2000, H2001, H2010-H2020, H2035, H2036, M0064, S0201, S9480, S9484, S9485, T1006, T1012, T1015

Initiation Phase

CPT Codes: 90791, 90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875, 90876

WITH POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 52, 53, 57, 71, 72

Engagement Phase

CPT Codes: 99221-99223, 99231-99233, 99238, 99239, 99251-99255

WITH POS: 52, 53