

# HEDIS® Pediatric Pocket Guide: 2026 Measurement Year

For a complete list of codes, please visit the NCQA website at [ncqa.org](https://www.ncqa.org), or see the HEDIS value sets. The following is a subset only of the NCQA approved codes.

## All Well-Child Visits

**Must include the following:** Documentation of a visit with an acceptable provider type, the date of the visit, and services to validate a well-child visit was performed.

Measure	Codes	Best Practice
<b>(W30) Well-Child Visits in the First 30 Months of Life (0–30 months)</b>	99381, 99382, 99391, 99392, 99461, S0302, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z02.84, Z76.1, Z76.2	<p><b>Well-Child Visits in the First 15 Months.</b> For children who turned 15 months old during the measurement year: Six or more well-child visits.</p> <p><b>Well-Child Visits for 15–30 Months of Age.</b> For children who turned 30 months of age during the measurement year: Two or more well-child visits.</p>
<b>(WCV) Child and Adolescent Well-Care Visits (3–21 years of age)</b>	99382–99385, 99392–99395, S0302, S0610, S0612, S0613, Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76, Z76.2	One or more comprehensive well-care visits with a primary care provider (PCP) or obstetrician/gynecologist (OB/GYN) within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient’s birthday, close the gap.

## Respiratory Conditions

Measure	Codes	Best Practice
<b>(CWP) Appropriate Testing for Pharyngitis</b>	<p><b>Group A Strep Test:</b> 87070, 87071, 87081, 87430, 87650–87652, 87880</p>	<p>For episodes involving persons <b>3 years of age and older</b>:</p> <ul style="list-style-type: none"> <li>• <b>Establish</b> a <i>pharyngitis</i> diagnosis</li> <li>• <b>Test</b> for <i>group A streptococcus (strep)</i></li> <li>• <b>Treat</b> with antibiotics <i>only if group A strep is detected</i></li> </ul> <p><b>Note:</b> Perform a group A strep test <b>before</b> prescribing or dispensing antibiotics.</p>
	<p><b>Pharyngitis:</b> J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91</p>	

## Weight Assessment and Counseling for Nutrition & Physical Activity

Measure	Codes	Best Practice
<b>(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (3–17 years of age)</b>	<p><b>BMI:</b> Z68.51, Z68.52, Z68.53, Z68.54, Z68.55, Z68.56</p> <p><b>Nutrition Counseling:</b> 97802–97804, G0270, G0271, G0447, S9449, S9452, S9470, Z71.3</p> <p><b>Physical Activity (PA):</b> G0447, S9451, Z02.5, Z71.82</p>	Can be completed during a PCP or OB/GYN visit during the measurement year. Documentation must include height, weight, body mass index (BMI) percentile, nutrition behaviors and counseling, and current physical activity behaviors and counseling or guidance.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

## Immunizations

Measure	Codes	Best Practice
<b>(CIS-E) Childhood Immunizations</b> (Completed on or before the 2nd birthday)	90697, 90698, 90700, 90723	<b>DTaP</b> – 4 Doses
	90670, 90671, 90677, G0009	<b>PCV</b> – 4 Doses
	90697, 90698, 90713, 90723	<b>IPV</b> – 3 Doses
	90644, 90647, 90648, 90697, 90698, 90748	<b>HiB</b> – 3 Doses
	90697, 90723, 90740, 90744, 90747, 90748, G0010	<b>Hep B</b> – 3 Doses
	2 Doses: 90681; 3 Doses: 90680	<b>RV</b> – 2 or 3 Doses
	90655–90658, 90660, 90661, 90672, 90674, 90685–90689, 90756	<b>Flu</b> – 2 Doses (LAIV meets criteria for one of the two required vaccinations if administered on the 2nd birthday)
	90710, 90716	<b>VZV</b> – 1 Dose
	90707, 90710	<b>MMR</b> – 1 Dose
	90633	<b>Hep A</b> – 1 Dose
<b>(IMA-E) Immunizations for Adolescents</b> (Completed on or before the 13th birthday)	90619, 90623, 90624, 90733, 90734	<b>Meningococcal</b> – 1 Dose
	90715	<b>Tdap</b> – 1 Dose
	90649–90651	<b>HPV</b> – 2 or 3 Doses

## Lead Screening

Measure	Codes	Best Practice
<b>(LSC-E) Lead Screening in Children</b>	83655	Percentage of children who had one or more capillary or venous lead blood tests by their 2nd birthday. At least one lead screening result documented by age 2.

## (SDOH) Social Determinants of Health: Improving Patient Outcomes by Identifying and Addressing Social Needs

Description	Codes	Best Practice
<b>Occupational Exposure to Risk Factors</b>	<b>ICD-10:</b> Z57.0–Z57.9	Include supplemental codes in the patient’s diagnosis section on a claim form
<b>Problems Related to Education and Literacy</b>	<b>ICD-10:</b> Z55.0–Z55.9	
<b>Problems Related to Employment and Unemployment</b>	<b>ICD-10:</b> Z56.0–Z56.9	
<b>Problems Related to Physical Environment</b>	<b>ICD-10:</b> Z58.0–Z58.9	
<b>Problems Related to Housing And Economic Circumstances</b>	<b>ICD-10:</b> Z59.0–Z59.9	
<b>Problems Related to Social Environment</b>	<b>ICD-10:</b> Z60.0–Z60.9	
<b>Problems Related to Upbringing</b>	<b>ICD-10:</b> Z62.0–Z62.9	
<b>Problems Related to Primary Support Group, Including Family Circumstances</b>	<b>ICD-10:</b> Z63.0–Z63.9	
<b>Problems Related to Certain Psychosocial Circumstances</b>	<b>ICD-10:</b> Z65.0–Z65.9	